L Number	Hits	Search Text	DB	Time stamp
4	1436	authenticat$4 with server and list$4 with server and plurality with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:13
5	138	authenticat$4 with server and list$4 with server and plurality with server and (("server list") ("listing of servers"))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:13
6	33	authenticat$4 with server and list$4 with server and plurality with server and (("server list") ("listing of servers")) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:13
7	4	authenticat$4 with server and list$4 with server and plurality with server and (("server list") ("listing of servers")) and 707/$.ccls. and two$way with (link$4 communicat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:15
8	4	authenticat$4 and list$4 with server and plurality with server and (("server list") ("listing of servers")) and 707/$.ccls. and two$way with (link$4 communicat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:15
9	6	authenticat$4 and list$4 with server and (("server list") ("listing of servers")) and 707/$.ccls. and two$way with (link$4 communicat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:16
10	3	authenticat$4 and list$4 with server and (("server list") ("listing of servers")) and 713/$.ccls. and two$way with (link$4 communicat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:20
11	27	authenticat$4 and list$4 with server and (("server list") ("listing of servers")) and two$way with (link$4 communicat$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:20
12	9	authenticat$4 and list$4 with server and (("server list") ("listing of servers")) and two$way with (link$4 communicat$4) and access$4 with list with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:30
13	9	authenticat$4 and list$4 with server and (("server list") ("listing of servers")) and two$way with (link$4 communicat$4) and access$4 with list$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:32
14	9	authenticat$4 and (("server list") ("listing of servers") ("list of servers")) and two$way with (link$4 communicat$4) and access$4 with list$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:34
15	9	authenticat$4 and (("server list") ("listing of servers") ("list of servers") ("list of available servers")) and two$way with (link$4 communicat$4) and access$4 with list$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:34
16	1184	authenticat$4 and access$4 with list$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:35
17	0	authenticat$4 and access$4 with list$4 with server and "list of servers"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:35
18	0	authenticat$4 and access$4 with list$4 with server and "listing of servers"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:35
19	108	authenticat$4 and access$4 with list$4 with server and "server list"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:36

C:\APPS\EAST\Workspaces\A27-Bilicksa.wsp

20	11	authenticat$4 and access$4 with list$4 with server and "server listing"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:36
-	2	automat$4 with authentificat$4 with system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:13
-	335	automat$4 with authenticat$4 with system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:13
-	221	automat$4 with authenticat$4 with system and (client user customer) and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:13
-	140	automat$4 with authenticat$4 with system and (client user customer) and network and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:14
-	79	automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:14
-	60	automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:14
-	6	automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4 with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:15
-	34	automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:43
-	2011	authenticat$4 and identif$4 with (engine routine algorithm)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:17
-	69	authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:17
-	62	authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:19
-	7	authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assignment	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:19
-	22	authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assign$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:20
-	10	authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assign$4 and timeout	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:20
-	2	authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assign$4 and timeout and access near4 level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:20

C:\APPS\EAST\Workspaces\A27-Bilicksa.wsp

-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assign$4 and timeout and access near4 level)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assign$4 and timeout)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assign$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (automat$4 with authentificat$4 with system)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer) and session with assignment)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION and receiv$4 with (client user customer))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm) and configur$4 WITH SESSION)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:22
-		4	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 10:56

C:\APPS\EAST\Workspaces\A27-Bilicksa.wsp

-		16	automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:29
-		2	automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4 and access with level and time$out	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:48
-		2	automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4 and access with level and time$out and configur$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:55
-		11	"159506"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:58
-		0	"09/159506"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:58
-		0	"159506" and worldcom.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 13:53
-		0	"09/159,506" and worldcom.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 13:53
-		4	707/$.ccls. and automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:31
-		4	709/$.ccls. and automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:32
-		8	713/$.ccls. and automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:32
-		4	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 10:57

-		4	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 13:12
-		3	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 10:57
-		1	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:02
-		1	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:13
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and ("list of servers" "listing of servers")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:12
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and select$4 with server with list	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:13
-		1	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and select$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:13

-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with ·server and server with list$4 and select$4 with server with list$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:14
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and select$4 with server same list$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:14
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and select$4 with server same (list$4 directory)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:14
-		1	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and (choos$4 select$4) with server same (list$4 directory)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:15
-		0	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and (choos$4 chosen select$4) with server with (list$4 directory)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 11:15
-		1	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and (choos$4 chosen select$4) with server same (list$4 directory)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 12:31

-		1	(automat$4 with authenticat$4 with system and (client user customer) and network and server and authenticat$$ with access and authenticat$4 with server and (trust$4 secur$4) with communicat$4) and (authenticat$4 and identif$4 with (engine routine algorithm)) and establish$4 with communication and two$way with communication and plurality with server and server with list$4 and (choos$4 chosen select$4) with server same (list$4 directory) and requir$4 with authenticat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/07 12:31